


NASA/SP—1998-7011/SUPPL475
October 5, 1998

AEROSPACE MEDICINE AND BIOLOGY

A CONTINUING BIBLIOGRAPHY WITH INDEXES



National Aeronautics and
Space Administration
Langley Research Center
**Scientific and Technical
Information Program Office**

The NASA STI Program Office . . . in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- **TECHNICAL PUBLICATION.** Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peer-reviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- **TECHNICAL MEMORANDUM.** Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- **CONTRACTOR REPORT.** Scientific and technical findings by NASA-sponsored contractors and grantees.

- **CONFERENCE PUBLICATION.** Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- **SPECIAL PUBLICATION.** Scientific, technical, or historical information from NASA programs, projects, and missions, often concerned with subjects having substantial public interest.
- **TECHNICAL TRANSLATION.** English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at [*http://www.sti.nasa.gov*](http://www.sti.nasa.gov)
- E-mail your question via the Internet to [*help@sti.nasa.gov*](mailto:help@sti.nasa.gov)
- Fax your question to the NASA STI Help Desk at (301) 621-0134
- Telephone the NASA STI Help Desk at (301) 621-0390
- Write to:
NASA STI Help Desk
NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320

Introduction

This supplemental issue of *Aerospace Medicine and Biology, A Continuing Bibliography with Indexes* (NASA/SP—1998-7011) lists reports, articles, and other documents recently announced in the NASA STI Database.

In its subject coverage, *Aerospace Medicine and Biology* concentrates on the biological, physiological, psychological, and environmental effects to which humans are subjected during and following simulated or actual flight in the Earth's atmosphere or in interplanetary space. References describing similar effects on biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. Applied research receives the most emphasis, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion.

Each entry in the publication consists of a standard bibliographic citation accompanied, in most cases, by an abstract.

The NASA CASI price code table, addresses of organizations, and document availability information are included before the abstract section.

Two indexes—subject and author are included after the abstract section.

SCAN Goes Electronic!

If you have electronic mail or if you can access the Internet, you can view biweekly issues of *SCAN* from your desktop absolutely free!

Electronic SCAN takes advantage of computer technology to inform you of the latest worldwide, aerospace-related, scientific and technical information that has been published.

No more waiting while the paper copy is printed and mailed to you. You can view *Electronic SCAN* the same day it is released—up to 191 topics to browse at your leisure. When you locate a publication of interest, you can print the announcement. You can also go back to the *Electronic SCAN* home page and follow the ordering instructions to quickly receive the full document.

Start your access to *Electronic SCAN* today. Over 1,000 announcements of new reports, books, conference proceedings, journal articles...and more—available to your computer every two weeks.

**Timely
Flexible
Complete
FREE!**

For Internet access to *E-SCAN*, use any of the following addresses:

<http://www.sti.nasa.gov>

[ftp.sti.nasa.gov](ftp://sti.nasa.gov)

[gopher.sti.nasa.gov](gopher://sti.nasa.gov)

To receive a free subscription, send e-mail for complete information about the service first. Enter **scan@sti.nasa.gov** on the address line. Leave the subject and message areas blank and send. You will receive a reply in minutes.

Then simply determine the *SCAN* topics you wish to receive and send a second e-mail to **listserve@sti.nasa.gov**. Leave the subject line blank and enter a subscribe command in the message area formatted as follows:

Subscribe <desired list> <Your name>

For additional information, e-mail a message to **help@sti.nasa.gov**.

Phone: (301) 621-0390

Fax: (301) 621-0134

Write: NASA STI Help Desk
NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320

Looking just for *Aerospace Medicine and Biology* reports?

Although hard copy distribution has been discontinued, you can still receive these vital announcements through your *E-SCAN* subscription. Just **subscribe SCAN-AEROMED** in the message area of your e-mail to **listserve@sti.nasa.gov**.



Table of Contents

Records are arranged in categories 51 through 55, the Life Sciences division of *STAR*. Selecting a category will link you to the collection of records cited in this issue pertaining to that category.

51	Life Sciences (General)	1
52	Aerospace Medicine Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals.	3
53	Behavioral Sciences Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.	6
54	Man/System Technology and Life Support Includes human engineering; biotechnology; and space suits and protective clothing.	7
55	Space Biology Includes exobiology; planetary biology; and extraterrestrial life.	N.A.

Indexes

Two indexes are available. You may use the find command under the tools menu while viewing the PDF file for direct match searching on any text string. You may also view the indexes provided, for searching on *NASA Thesaurus* subject terms and author names.

Subject Term Index	ST-1
Author Index	PA-1

Selecting an index above will link you to that comprehensive listing.

Document Availability

Select **Availability Info** for important information about NASA Scientific and Technical Information (STI) Program Office products and services, including registration with the NASA Center for Aerospace Information (CASI) for access to the NASA CASI TRS (Technical Report Server), and availability and pricing information for cited documents.

The New NASA Video Catalog is Here

To order your **Free!** copy,
call the NASA STI Help Desk at

(301) 621-0390,

fax to

(301) 621-0134,

e-mail to

help@sti.nasa.gov,

or visit the NASA STI Program

homepage at

<http://www.sti.nasa.gov>

(Select STI Program Bibliographic Announcements)

Explore the Universe!

Document Availability Information

The mission of the NASA Scientific and Technical (STI) Program Office is to quickly, efficiently, and cost-effectively provide the NASA community with desktop access to STI produced by NASA and the world's aerospace industry and academia. In addition, we will provide the aerospace industry, academia, and the taxpayer access to the intellectual scientific and technical output and achievements of NASA.

Eligibility and Registration for NASA STI Products and Services

The NASA STI Program offers a wide variety of products and services to achieve its mission. Your affiliation with NASA determines the level and type of services provided by the NASA STI Program. To assure that appropriate level of services are provided, NASA STI users are requested to register at the NASA Center for AeroSpace Information (CASI). Please contact NASA CASI in one of the following ways:

E-mail: help@sti.nasa.gov
Fax: 301-621-0134
Phone: 301-621-0390
Mail: ATTN: Registration Services
NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320

Limited Reproducibility

In the database citations, a note of limited reproducibility appears if there are factors affecting the reproducibility of more than 20 percent of the document. These factors include faint or broken type, color photographs, black and white photographs, foldouts, dot matrix print, or some other factor that limits the reproducibility of the document. This notation also appears on the microfiche header.

NASA Patents and Patent Applications

Patents and patent applications owned by NASA are announced in the STI Database. Printed copies of patents (which are not microfiched) are available for purchase from the U.S. Patent and Trademark Office.

When ordering patents, the U.S. Patent Number should be used, and payment must be remitted in advance, by money order or check payable to the Commissioner of Patents and Trademarks. Prepaid purchase coupons for ordering are also available from the U.S. Patent and Trademark Office.

NASA patent application specifications are sold in both paper copy and microfiche by the NASA Center for AeroSpace Information (CASI). The document ID number should be used in ordering either paper copy or microfiche from CASI.

The patents and patent applications announced in the STI Database are owned by NASA and are available for royalty-free licensing. Requests for licensing terms and further information should be addressed to:

National Aeronautics and Space Administration
Associate General Counsel for Intellectual Property
Code GP
Washington, DC 20546-0001

Sources for Documents

One or more sources from which a document announced in the STI Database is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below, with an Addresses of Organizations list near the back of this section. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source.

Avail: NASA CASI. Sold by the NASA Center for AeroSpace Information. Prices for hard copy (HC) and microfiche (MF) are indicated by a price code following the letters HC or MF in the citation. Current values are given in the NASA CASI Price Code Table near the end of this section.

Note on Ordering Documents: When ordering publications from NASA CASI, use the document ID number or other report number. It is also advisable to cite the title and other bibliographic identification.

Avail: SOD (or GPO). Sold by the Superintendent of Documents, U.S. Government Printing Office, in hard copy.

Avail: BLL (formerly NLL): British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. Photocopies available from this organization at the price shown. (If none is given, inquiry should be addressed to the BLL.)

Avail: DOE Depository Libraries. Organizations in U.S. cities and abroad that maintain collections of Department of Energy reports, usually in microfiche form, are listed in Energy Research Abstracts. Services available from the DOE and its depositories are described in a booklet, *DOE Technical Information Center—Its Functions and Services* (TID-4660), which may be obtained without charge from the DOE Technical Information Center.

Avail: ESDU. Pricing information on specific data, computer programs, and details on ESDU International topic categories can be obtained from ESDU International.

Avail: Fachinformationszentrum Karlsruhe. Gesellschaft für wissenschaftlich-technische Information mbH 76344 Eggenstein-Leopoldshafen, Germany.

- Avail: HMSO. Publications of Her Majesty's Stationery Office are sold in the U.S. by Pendragon House, Inc. (PHI), Redwood City, CA. The U.S. price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI.
- Avail: Issuing Activity, or Corporate Author, or no indication of availability. Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document.
- Avail: NASA Public Document Rooms. Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration (JBD-4), Public Documents Room (Room 1H23), Washington, DC 20546-0001, or public document rooms located at NASA installations, and the NASA Pasadena Office at the Jet Propulsion Laboratory.
- Avail: NTIS. Sold by the National Technical Information Service. Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) are available. For information concerning this service, consult the NTIS Subscription Section, Springfield, VA 22161.
- Avail: Univ. Microfilms. Documents so indicated are dissertations selected from Dissertation Abstracts and are sold by University Microfilms as xerographic copy (HC) and microfilm. All requests should cite the author and the Order Number as they appear in the citation.
- Avail: US Patent and Trademark Office. Sold by Commissioner of Patents and Trademarks, U.S. Patent and Trademark Office, at the standard price of \$1.50 each, postage free.
- Avail: (US Sales Only). These foreign documents are available to users within the United States from the National Technical Information Service (NTIS). They are available to users outside the United States through the International Nuclear Information Service (INIS) representative in their country, or by applying directly to the issuing organization.
- Avail: USGS. Originals of many reports from the U.S. Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed on the Addresses of Organizations page. The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction.

Addresses of Organizations

British Library Lending Division
Boston Spa, Wetherby, Yorkshire
England

Commissioner of Patents and Trademarks
U.S. Patent and Trademark Office
Washington, DC 20231

Department of Energy
Technical Information Center
P.O. Box 62
Oak Ridge, TN 37830

European Space Agency–
Information Retrieval Service ESRIN
Via Galileo Galilei
00044 Frascati (Rome) Italy

ESDU International
27 Corsham Street
London
N1 6UA
England

Fachinformationszentrum Karlsruhe
Gesellschaft für wissenschaftlich–technische
Information mbH
76344 Eggenstein–Leopoldshafen, Germany

Her Majesty's Stationery Office
P.O. Box 569, S.E. 1
London, England

NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320

(NASA STI Lead Center)
National Aeronautics and Space Administration
Scientific and Technical Information Program Office
Langley Research Center – MS157
Hampton, VA 23681

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161

Pendragon House, Inc.
899 Broadway Avenue
Redwood City, CA 94063

Superintendent of Documents
U.S. Government Printing Office
Washington, DC 20402

University Microfilms
A Xerox Company
300 North Zeeb Road
Ann Arbor, MI 48106

University Microfilms, Ltd.
Tylers Green
London, England

U.S. Geological Survey Library National Center
MS 950
12201 Sunrise Valley Drive
Reston, VA 22092

U.S. Geological Survey Library
2255 North Gemini Drive
Flagstaff, AZ 86001

U.S. Geological Survey
345 Middlefield Road
Menlo Park, CA 94025

U.S. Geological Survey Library
Box 25046
Denver Federal Center, MS914
Denver, CO 80225

NASA CASI Price Code Table

(Effective July 1, 1998)

Code	U.S., Canada, & Mexico		Foreign	Code	U.S., Canada, & Mexico		Foreign
A01	\$ 8.00		\$ 16.00	E01	\$101.00		\$202.00
A02	12.00		24.00	E02	109.50		219.00
A03	23.00		46.00	E03	119.50		238.00
A04	25.50		51.00	E04	128.50		257.00
A05	27.00		54.00	E05	138.00		276.00
A06	29.50		59.00	E06	146.50		293.00
A07	33.00		66.00	E07	156.00		312.00
A08	36.00		72.00	E08	165.50		331.00
A09	41.00		82.00	E09	174.00		348.00
A10	44.00		88.00	E10	183.50		367.00
A11	47.00		94.00	E11	193.00		386.00
A12	51.00		102.00	E12	201.00		402.00
A13	54.00		108.00	E13	210.50		421.00
A14	56.00		112.00	E14	220.00		440.00
A15	58.00		116.00	E15	229.50		459.00
A16	60.00		120.00	E16	238.00		476.00
A17	62.00		124.00	E17	247.50		495.00
A18	65.50		131.00	E18	257.00		514.00
A19	67.50		135.00	E19	265.50		531.00
A20	69.50		139.00	E20	275.00		550.00
A21	71.50		143.00	E21	284.50		569.00
A22	77.00		154.00	E22	293.00		586.00
A23	79.00		158.00	E23	302.50		605.00
A24	81.00		162.00	E24	312.00		624.00
A25	83.00		166.00	E99	Contact NASA CASI		
A99	Contact NASA CASI						

Payment Options

All orders must be prepaid unless you are registered for invoicing or have a deposit account with the NASA CASI. Payment can be made by VISA, MasterCard, American Express, or Diner's Club credit card. Checks or money orders must be in U.S. currency and made payable to "NASA Center for AeroSpace Information." To register, please request a registration form through the NASA STI Help Desk at the numbers or addresses below.

Handling fee per item is \$1.50 domestic delivery to any location in the United States and \$9.00 foreign delivery to Canada, Mexico, and other foreign locations. Video orders incur an additional \$2.00 handling fee per title.

The fee for shipping the safest and fastest way via Federal Express is in addition to the regular handling fee explained above—\$5.00 domestic per item, \$27.00 foreign for the first 1-3 items, \$9.00 for each additional item.

Return Policy

The NASA Center for AeroSpace Information will replace or make full refund on items you have requested if we have made an error in your order, if the item is defective, or if it was received in damaged condition, and you contact CASI within 30 days of your original request.

NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320

E-mail: help@sti.nasa.gov
Fax: (301) 621-0134
Phone: (301) 621-0390

Federal Depository Library Program

In order to provide the general public with greater access to U.S. Government publications, Congress established the Federal Depository Library Program under the Government Printing Office (GPO), with 53 regional depositories responsible for permanent retention of material, inter-library loan, and reference services. At least one copy of nearly every NASA and NASA-sponsored publication, either in printed or microfiche format, is received and retained by the 53 regional depositories. A list of the Federal Regional Depository Libraries, arranged alphabetically by state, appears at the very end of this section. These libraries are not sales outlets. A local library can contact a regional depository to help locate specific reports, or direct contact may be made by an individual.

Public Collection of NASA Documents

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England for public access. The British Library Lending Division also has available many of the non-NASA publications cited in the STI Database. European requesters may purchase facsimile copy or microfiche of NASA and NASA-sponsored documents FIZ–Fachinformation Karlsruhe–Bibliographic Service, D-76344 Eggenstein-Leopoldshafen, Germany and TIB–Technische Informationsbibliothek, P.O. Box 60 80, D-30080 Hannover, Germany.

Submitting Documents

All users of this abstract service are urged to forward reports to be considered for announcement in the STI Database. This will aid NASA in its efforts to provide the fullest possible coverage of all scientific and technical publications that might support aeronautics and space research and development. If you have prepared relevant reports (other than those you will transmit to NASA, DOD, or DOE through the usual contract- or grant-reporting channels), please send them for consideration to:

ATTN: Acquisitions Specialist
NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320.

Reprints of journal articles, book chapters, and conference papers are also welcome.

You may specify a particular source to be included in a report announcement if you wish; otherwise the report will be placed on a public sale at the NASA Center for AeroSpace Information. Copyrighted publications will be announced but not distributed or sold.

Federal Regional Depository Libraries

ALABAMA

AUBURN UNIV. AT MONTGOMERY LIBRARY

Documents Dept.
7300 University Dr.
Montgomery, AL 36117-3596
(205) 244-3650 Fax: (205) 244-0678

UNIV. OF ALABAMA

Amelia Gayle Gorgas Library
Govt. Documents
P.O. Box 870266
Tuscaloosa, AL 35487-0266
(205) 348-6046 Fax: (205) 348-0760

ARIZONA

DEPT. OF LIBRARY, ARCHIVES, AND PUBLIC RECORDS

Research Division
Third Floor, State Capitol
1700 West Washington
Phoenix, AZ 85007
(602) 542-3701 Fax: (602) 542-4400

ARKANSAS

ARKANSAS STATE LIBRARY

State Library Service Section
Documents Service Section
One Capitol Mall
Little Rock, AR 72201-1014
(501) 682-2053 Fax: (501) 682-1529

CALIFORNIA

CALIFORNIA STATE LIBRARY

Govt. Publications Section
P.O. Box 942837 - 914 Capitol Mall
Sacramento, CA 94337-0091
(916) 654-0069 Fax: (916) 654-0241

COLORADO

UNIV. OF COLORADO - BOULDER

Libraries - Govt. Publications
Campus Box 184
Boulder, CO 80309-0184
(303) 492-8834 Fax: (303) 492-1881

DENVER PUBLIC LIBRARY

Govt. Publications Dept. BSG
1357 Broadway
Denver, CO 80203-2165
(303) 640-8846 Fax: (303) 640-8817

CONNECTICUT

CONNECTICUT STATE LIBRARY

231 Capitol Avenue
Hartford, CT 06106
(203) 566-4971 Fax: (203) 566-3322

FLORIDA

UNIV. OF FLORIDA LIBRARIES

Documents Dept.
240 Library West
Gainesville, FL 32611-2048
(904) 392-0366 Fax: (904) 392-7251

GEORGIA

UNIV. OF GEORGIA LIBRARIES

Govt. Documents Dept.
Jackson Street
Athens, GA 30602-1645
(706) 542-8949 Fax: (706) 542-4144

HAWAII

UNIV. OF HAWAII

Hamilton Library
Govt. Documents Collection
2550 The Mall
Honolulu, HI 96822
(808) 948-8230 Fax: (808) 956-5968

IDAHO

UNIV. OF IDAHO LIBRARY

Documents Section
Rayburn Street
Moscow, ID 83844-2353
(208) 885-6344 Fax: (208) 885-6817

ILLINOIS

ILLINOIS STATE LIBRARY

Federal Documents Dept.
300 South Second Street
Springfield, IL 62701-1796
(217) 782-7596 Fax: (217) 782-6437

INDIANA

INDIANA STATE LIBRARY

Serials/Documents Section
140 North Senate Avenue
Indianapolis, IN 46204-2296
(317) 232-3679 Fax: (317) 232-3728

IOWA

UNIV. OF IOWA LIBRARIES

Govt. Publications
Washington & Madison Streets
Iowa City, IA 52242-1166
(319) 335-5926 Fax: (319) 335-5900

KANSAS

UNIV. OF KANSAS

Govt. Documents & Maps Library
6001 Malott Hall
Lawrence, KS 66045-2800
(913) 864-4660 Fax: (913) 864-3855

KENTUCKY

UNIV. OF KENTUCKY

King Library South
Govt. Publications/Maps Dept.
Patterson Drive
Lexington, KY 40506-0039
(606) 257-3139 Fax: (606) 257-3139

LOUISIANA

LOUISIANA STATE UNIV.

Middleton Library
Govt. Documents Dept.
Baton Rouge, LA 70803-3312
(504) 388-2570 Fax: (504) 388-6992

LOUISIANA TECHNICAL UNIV.

Prescott Memorial Library
Govt. Documents Dept.
Ruston, LA 71272-0046
(318) 257-4962 Fax: (318) 257-2447

MAINE

UNIV. OF MAINE

Raymond H. Fogler Library
Govt. Documents Dept.
Orono, ME 04469-5729
(207) 581-1673 Fax: (207) 581-1653

MARYLAND

UNIV. OF MARYLAND - COLLEGE PARK

McKeldin Library
Govt. Documents/Maps Unit
College Park, MD 20742
(301) 405-9165 Fax: (301) 314-9416

MASSACHUSETTS

BOSTON PUBLIC LIBRARY

Govt. Documents
666 Boylston Street
Boston, MA 02117-0286
(617) 536-5400, ext. 226
Fax: (617) 536-7758

MICHIGAN

DETROIT PUBLIC LIBRARY

5201 Woodward Avenue
Detroit, MI 48202-4093
(313) 833-1025 Fax: (313) 833-0156

LIBRARY OF MICHIGAN

Govt. Documents Unit
P.O. Box 30007
717 West Allegan Street
Lansing, MI 48909
(517) 373-1300 Fax: (517) 373-3381

MINNESOTA

UNIV. OF MINNESOTA

Govt. Publications
409 Wilson Library
309 19th Avenue South
Minneapolis, MN 55455
(612) 624-5073 Fax: (612) 626-9353

MISSISSIPPI

UNIV. OF MISSISSIPPI

J.D. Williams Library
106 Old Gym Bldg.
University, MS 38677
(601) 232-5857 Fax: (601) 232-7465

MISSOURI

UNIV. OF MISSOURI - COLUMBIA

106B Ellis Library
Govt. Documents Sect.
Columbia, MO 65201-5149
(314) 882-6733 Fax: (314) 882-8044

MONTANA

UNIV. OF MONTANA

Mansfield Library
Documents Division
Missoula, MT 59812-1195
(406) 243-6700 Fax: (406) 243-2060

NEBRASKA

UNIV. OF NEBRASKA - LINCOLN

D.L. Love Memorial Library
Lincoln, NE 68588-0410
(402) 472-2562 Fax: (402) 472-5131

NEVADA

THE UNIV. OF NEVADA LIBRARIES

Business and Govt. Information Center
Reno, NV 89557-0044
(702) 784-6579 Fax: (702) 784-1751

NEW JERSEY

NEWARK PUBLIC LIBRARY

Science Div. - Public Access
P.O. Box 630
Five Washington Street
Newark, NJ 07101-7812
(201) 733-7782 Fax: (201) 733-5648

NEW MEXICO

UNIV. OF NEW MEXICO

General Library
Govt. Information Dept.
Albuquerque, NM 87131-1466
(505) 277-5441 Fax: (505) 277-6019

NEW MEXICO STATE LIBRARY

325 Don Gaspar Avenue
Santa Fe, NM 87503
(505) 827-3824 Fax: (505) 827-3888

NEW YORK

NEW YORK STATE LIBRARY

Cultural Education Center
Documents/Gift & Exchange Section
Empire State Plaza
Albany, NY 12230-0001
(518) 474-5355 Fax: (518) 474-5786

NORTH CAROLINA

UNIV. OF NORTH CAROLINA - CHAPEL HILL

Walter Royal Davis Library
CB 3912, Reference Dept.
Chapel Hill, NC 27514-8890
(919) 962-1151 Fax: (919) 962-4451

NORTH DAKOTA

NORTH DAKOTA STATE UNIV. LIB.

Documents
P.O. Box 5599
Fargo, ND 58105-5599
(701) 237-8886 Fax: (701) 237-7138

UNIV. OF NORTH DAKOTA

Chester Fritz Library
University Station
P.O. Box 9000 - Centennial and University Avenue
Grand Forks, ND 58202-9000
(701) 777-4632 Fax: (701) 777-3319

OHIO

STATE LIBRARY OF OHIO

Documents Dept.
65 South Front Street
Columbus, OH 43215-4163
(614) 644-7051 Fax: (614) 752-9178

OKLAHOMA

OKLAHOMA DEPT. OF LIBRARIES

U.S. Govt. Information Division
200 Northeast 18th Street
Oklahoma City, OK 73105-3298
(405) 521-2502, ext. 253
Fax: (405) 525-7804

OKLAHOMA STATE UNIV.

Edmon Low Library
Stillwater, OK 74078-0375
(405) 744-6546 Fax: (405) 744-5183

OREGON

PORTLAND STATE UNIV.

Branford P. Millar Library
934 Southwest Harrison
Portland, OR 97207-1151
(503) 725-4123 Fax: (503) 725-4524

PENNSYLVANIA

STATE LIBRARY OF PENN.

Govt. Publications Section
116 Walnut & Commonwealth Ave.
Harrisburg, PA 17105-1601
(717) 787-3752 Fax: (717) 783-2070

SOUTH CAROLINA

CLEMSON UNIV.

Robert Muldrow Cooper Library
Public Documents Unit
P.O. Box 343001
Clemson, SC 29634-3001
(803) 656-5174 Fax: (803) 656-3025

UNIV. OF SOUTH CAROLINA

Thomas Cooper Library
Green and Sumter Streets
Columbia, SC 29208
(803) 777-4841 Fax: (803) 777-9503

TENNESSEE

UNIV. OF MEMPHIS LIBRARIES

Govt. Publications Dept.
Memphis, TN 38152-0001
(901) 678-2206 Fax: (901) 678-2511

TEXAS

TEXAS STATE LIBRARY

United States Documents
P.O. Box 12927 - 1201 Brazos
Austin, TX 78701-0001
(512) 463-5455 Fax: (512) 463-5436

TEXAS TECH. UNIV. LIBRARIES

Documents Dept.
Lubbock, TX 79409-0002
(806) 742-2282 Fax: (806) 742-1920

UTAH

UTAH STATE UNIV.

Merrill Library Documents Dept.
Logan, UT 84322-3000
(801) 797-2678 Fax: (801) 797-2677

VIRGINIA

UNIV. OF VIRGINIA

Alderman Library
Govt. Documents
University Ave. & McCormick Rd.
Charlottesville, VA 22903-2498
(804) 824-3133 Fax: (804) 924-4337

WASHINGTON

WASHINGTON STATE LIBRARY

Govt. Publications
P.O. Box 42478
16th and Water Streets
Olympia, WA 98504-2478
(206) 753-4027 Fax: (206) 586-7575

WEST VIRGINIA

WEST VIRGINIA UNIV. LIBRARY

Govt. Documents Section
P.O. Box 6069 - 1549 University Ave.
Morgantown, WV 26506-6069
(304) 293-3051 Fax: (304) 293-6638

WISCONSIN

ST. HIST. SOC. OF WISCONSIN LIBRARY

Govt. Publication Section
816 State Street
Madison, WI 53706
(608) 264-6525 Fax: (608) 264-6520

MILWAUKEE PUBLIC LIBRARY

Documents Division
814 West Wisconsin Avenue
Milwaukee, WI 53233
(414) 286-3073 Fax: (414) 286-8074

Typical Report Citation and Abstract

- ❶ 19970001126 NASA Langley Research Center, Hampton, VA USA
- ❷ Water Tunnel Flow Visualization Study Through Poststall of 12 Novel Planform Shapes
- ❸ Gatlin, Gregory M., NASA Langley Research Center, USA Neuhart, Dan H., Lockheed Engineering and Sciences Co., USA;
- ❹ Mar. 1996; 130p; In English
- ❺ Contract(s)/Grant(s): RTOP 505-68-70-04
- ❻ Report No(s): NASA-TM-4663; NAS 1.15:4663; L-17418; No Copyright; Avail: CASI; A07, Hardcopy; A02, Microfiche
- ❼ To determine the flow field characteristics of 12 planform geometries, a flow visualization investigation was conducted in the Langley 16- by 24-Inch Water Tunnel. Concepts studied included flat plate representations of diamond wings, twin bodies, double wings, cutout wing configurations, and serrated forebodies. The off-surface flow patterns were identified by injecting colored dyes from the model surface into the free-stream flow. These dyes generally were injected so that the localized vortical flow patterns were visualized. Photographs were obtained for angles of attack ranging from 10° to 50°, and all investigations were conducted at a test section speed of 0.25 ft per sec. Results from the investigation indicate that the formation of strong vortices on highly swept forebodies can improve poststall lift characteristics; however, the asymmetric bursting of these vortices could produce substantial control problems. A wing cutout was found to significantly alter the position of the forebody vortex on the wing by shifting the vortex inboard. Serrated forebodies were found to effectively generate multiple vortices over the configuration. Vortices from 65° swept forebody serrations tended to roll together, while vortices from 40° swept serrations were more effective in generating additional lift caused by their more independent nature.
- ❽ Author
- ❾ *Water Tunnel Tests; Flow Visualization; Flow Distribution; Free Flow; Planforms; Wing Profiles; Aerodynamic Configurations*

Key

1. Document ID Number; Corporate Source
2. Title
3. Author(s) and Affiliation(s)
4. Publication Date
5. Contract/Grant Number(s)
6. Report Number(s); Availability and Price Codes
7. Abstract
8. Abstract Author
9. Subject Terms

AEROSPACE MEDICINE AND BIOLOGY

A Continuing Bibliography (Suppl. 475)

OCTOBER 5, 1998

51

LIFE SCIENCES (GENERAL)

19980211158 California Univ., San Francisco, CA USA

Fludrocortisone: Role in Central Regulation of Fluid Balance *Final Report, 1 Jul. 1993 - 15 Jan. 1996*

Dallman, M. F., California Univ., USA; 1996; 12p; In English

Contract(s)/Grant(s): NCC2-764

Report No.(s): NASA/CR-1996-206754; NAS 1.26:206754; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

We have performed 7 experiments in rats on the effects of systemic treatment with fludrocortisone (9a-FF) given in a variety of doses over a variety of times, in the AM and in the PM. These experiments were designed to determine the best treatment protocol to use in the head-down rat model studies which were performed at NASA-Ames Research Center during the final year. The results of the experiments in non-stressed rats have been, on the whole, disappointing in that we have so far been unable to obtain direct evidence that the 9a-FF acts as a mineralocorticoid. In the ultimate experiments using control and suspended rats, we showed mineralocorticoid and glucocorticoid effects of 9aFF. However, suspension served in our rats as a chronic stressor when they were examined 5 d after the onset of treatment.

Derived from text

Cortisone; Rats; Adrenal Gland; Body Fluids; Hormone Metabolisms

19980211259 Osaka Univ., Graduate School of Science, Osaka Japan

Spin glass model for biological systems

Tokita, Keiichiro, Osaka Univ., Japan; 1995, pp. 162; In English; Also announced as 19980211166; No Copyright; Avail: CASI;

A01, Hardcopy; A03, Microfiche; US Sales Only; US Sales Only

In order to explain mass extinctions by internal dynamics, a general mathematical model of ecosystems with spin-glass-like random interaction was constructed. It was assumed that the interaction coefficients for a new ecosystem produced by exogenous shock could be written in the form of a random matrix, and an extinction threshold was adopted in the replicator equations. Gaussian random numbers were assigned to the interspecies interaction coefficients. If initial number of species, random matrix and extinction threshold were fixed, dynamics had only one attractor except few cases. This is clearly in contrast to the case of dynamics without extinction. Average final variety over samples of random matrix was independent of the initial number of species. Avalanche of mass extinction began after some induction time.

NASDA

Spin Glass; Ecosystems; Extinction; Bionics; Mathematical Models

19980211331 New Energy and Industrial Technology Development Organization, Tokyo, Japan

Leading research on cell proliferation regulation technology *Saibo zoshoku seigyo gijutsu no sendo kenkyu*

Mar. 1997; 132p; In Japanese

Report No.(s): NEDO-PR-9610; DE98-745396; No Copyright; Avail: Issuing Activity (Nat'l Technical Information Service (NTIS)), Microfiche

For developing intelligent material, animal test alternative model, bio-cell analysis equipment, self-controlling bio-reactor and medical material, development of functional cells was studied by cell proliferation regulation technology. In fiscal 1996, the expression analysis and separation technology of specific gene for cell proliferation, and the intracellular regulation technology were surveyed from the viewpoint of intracellular regulation. The cell proliferation regulation technology by specific regulating material of cells, extracellular matrix, coculture system and embryonic cell was surveyed from the viewpoint of extracellular regulation. In addition, based on these survey results, new cell culture/analysis technology, new bio-material, artificial organ system,

energy saving bio-reactor, environment purification microorganism, and animal test alternative model were surveyed as applications to industrial basic technologies from a long-term viewpoint. The approach to cell proliferation regulation requires preparation of a concrete proliferation regulation technology system of cells, and concrete application targets.

DOE

Cells (Biology); Targets; Animals; Smart Materials; Microorganisms; Reactor Materials; Bioreactors; Biotechnology; Control

19980211479 Energia Nucleare e Delle Energie Alternative, Dipt. Innovazione, Rome, Italy

Biotechnological innovation impacts, social and ethical aspects and public acceptability *Sicurezza, implicazioni etico-sociali e percezione pubblica delle biotecnologie*

Capuano, V., Energia Nucleare e Delle Energie Alternative, Italy; Nov. 1997; ISSN 1120-5571; 78p; In Italian

Report No.(s): ENEA-RT-INN-97-26; DE98-759694; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)); US Sales Only, Microfiche

Biotechnology is a highly distinctive area of scientific activity and its applications can strongly influence human life. Biotechnological innovations impact on sanitary, environmental, social, ethical and economic aspects and it is particularly important a greater public understanding of biotechnology issues in the view of increasing its acceptability. Knowledge and acceptance do not go always in the same direction, as the last is influenced by various complex factors, but without a knowledgeable public there can be no effective democratic agreement. So it appears important that scientific community and industry can promote and diffuse more knowledge among citizens and consumers, taking into account also of social and ethical issues raised by public and public interest groups. In this report bio safety of biotechnology applications and social and ethical issues are analyzed. They receive much attention in the discussion in the biotechnology arena (scientists, industry, institutions and the public). In particular health and environmental risks, gene therapy, transgenic animals, patent issues and genetic resources access, consumers rights are considered. Since the media are central to the dissemination of information and views about science, it has been evidenced their role, in addition to a short analysis of public perception and communication strategies.

DOE

Biotechnology; Genetics; Health

19980211497 Georgia Univ., Research Foundation, Athens, GA USA

Nitrogen control of chloroplast differentiation *Final Report*

Schmidt, G. W., Georgia Univ., USA; [1998]; 3p; In English

Contract(s)/Grant(s): DE-FG05-93ER-20100

Report No.(s): DOE/ER/20100-T1; DE98-005187; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)), Microfiche

This project was directed toward understanding at the physiological, biochemical and molecular levels of how photosynthetic organisms adapt to long-term nitrogen-deficiency conditions is quite incomplete even though limitation of this nutrient is the most commonly restricts plant growth and development. For our work on this problem, the unicellular green alga, *Chlamydomonas reinhardtii*, was grown in continuous cultures in which steady-state levels of nitrogen can be precisely controlled. N-limited cells exhibit the classical symptoms of deficiency of this nutrient, chlorosis and slow growth rates, and respond to nitrogen provision by rapid greening and chloroplast differentiation. We have addressed three aspects of this problem: (1) the regulation of pigment synthesis; (2) control of expression of nuclear genes encoding photosynthetic proteins; (3) changes in metabolic and electron transport pathways that enable sustained CO₂ fixation even though they cannot be readily converted into amino and nucleic acids. For the last, principle components are: (a) enhanced mitochondrial respiratory activity intimately associated with photosynthesates, and (b) the occurrence in thylakoids of a supplemental electron transport pathway that facilitates reduction of the plastoquinone pool. Together, these distinguishing features of N-limited cells are likely to enable cell survival, especially under conditions of high irradiance stress.

DOE

Nitrogen; Chloroplasts; Physiology; Biochemistry; Photosynthesis; Organisms; Biosynthesis

19980211512 Energia Nucleare e Delle Energie Alternative, Dipt. Innovazione, Rome, Italy

Laboratory LIF characterization of different phytoplankton species originating harmful blooms

Barbini, R., Energia Nucleare e Delle Energie Alternative, Italy; Colao, F., Energia Nucleare e Delle Energie Alternative, Italy;

Fantoni, R., Energia Nucleare e Delle Energie Alternative, Italy; Palucci, A., Energia Nucleare e Delle Energie Alternative, Italy;

Ribezzo, S., Energia Nucleare e Delle Energie Alternative, Italy; Micheli, C., Energia Nucleare e Delle Energie Alternative, Italy;

Nov. 1997; ISSN 1120-5571; 31p; In English

Report No.(s): ENEA-RT-INN-97-21; DE98-759690; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)); US Sales Only, Microfiche

A systematic laboratory characterization of different phytoplankton cultures has been performed in combination with LiF (Laser Induced Fluorescence) measurements aimed to investigate the possibility of their remote monitoring by means of lidar fluoro sensor systems. Cultures of microalgae characterized by different pigment contents have been analyzed in the visible region upon UV laser excitation. High resolution laboratory spectra have been measured in order to obtain the fingerprint of each species. Emission wavelength related to the main pigments contribution have been identified. Detection limits of the emitted red chlorophyll signal have been evaluated for the different species after dilution in the culture medium and in real sea water. Prior to the LiF excitation aimed to the remote characterization the algal cultures were morphologically analyzed by fluorescence and scanning electron microscopy. Furthermore the relevant cell number was counted for biomass estimation, and the chlorophylls content was determined by different chemical methods.

DOE

Scanning Electron Microscopy; Laser Induced Fluorescence; Chlorophylls; Algae; Phytoplankton

52

AEROSPACE MEDICINE

Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals.

19980210921 Defence and Civil Inst. of Environmental Medicine, Downsview, Ontario Canada

Recommendations to Enhance Spatial Disorientation Training for the Canadian Forces

Cheung, Bob, Defence and Civil Inst. of Environmental Medicine, Canada; Feb. 1998; 27p; In English

Report No.(s): AD-A345707; DCIEM-98-R-32; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Spatial disorientation (SD) in flight wastes millions of dollars worth of defence capability and continues to kill aircrew. A number of CF (Canadian Forces) surveys have identified SD as the most detrimental of all listed aircraft and human factor issues in terms of its effects on flight safety and operational effectiveness. Two retrospective studies by Hartzell and Cheung et al. confirmed that SD was a significant contributing factor in 12 (between 1968-78) and 14 (between 1982-92) accidents respectively. Following a series of SD implicated mishaps in the CF-18 between 1986-90; the Commander of AIRCOM directed the initiation of ground-based disorientation training and the acquisition of an effective ground-based SD trainer. However, without a recent mishap, on-going fiscal restraint and other factors, the support and resources for acquiring an effective ground-based trainer are not available. In order to solve the SD problem, we believe that research on underlying mechanisms is productive and that hardware improvements will eventually provide substantial additional protection. Research and technological improvements that deal with SD will require a great deal of effort and money to implement and is a distant goal. For the near term, the only practical approach is to enhance SD awareness training for pilots and should be addressed without delay. This report reviews current SD training practices in the CF, and makes recommendations to enhance spatial disorientation training on the ground and in-flight. It is hoped that this report will generate continued discussions among pilots, aeromedical instructors, flight surgeons and research scientists in maintaining progress towards mounting an attack on SD.

DTIC

Disorientation; Training Devices; Flight Crews; Flight Safety; System Effectiveness; Spatial Distribution

19980210952 Medical Coll. of Wisconsin, Milwaukee, WI USA

Frontiers in Head and Neck Trauma: Clinical and Biomechanical Final Report, 1 Sep. 1996 - 19 Jun. 1998

Yoganandan, Narayan, Medical Coll. of Wisconsin, USA; Pintar, Frank A., Medical Coll. of Wisconsin, USA; Larson, Sanford J., Medical Coll. of Wisconsin, USA; Jun. 19, 1998; 246p; In English

Contract(s)/Grant(s): N00014-96-1-1234

Report No.(s): AD-A348631; MCW-NS-980615; No Copyright; Avail: CASI; A11, Hardcopy; A03, Microfiche

Clinical and biomedical aspects of head and neck injuries are covered in this presentation. Recent research stemming from laboratory-driven experimental and mathematical models, and clinical and epidemiological investigations are discussed. Topics covered include the basic anatomy of the head and neck of the pediatric and adult human population; the effects of the presence of uncovertebral joints in the adult human neck; and radiographic, computed tomography and magnetic resonance imaging of craniocerebral and cervical trauma. An evaluation is made of the Hybrid III anthropomorphic test device with the human neck structure. Inertial loading of the human neck and its implications in the production of whiplash injuries are given. Mathematical modeling describes continuum mechanics-type buckling models, and numerical finite element techniques to evaluate the effect

of clinical procedures such as surgery and stabilization. Instrumentation techniques are discussed for the upper and lower cervical spine. Head and neck injury issues in Naval Aviation are also presented.

DTIC

Magnetic Resonance; Tomography; Spine; Military Aviation; Imaging Techniques

19980210954 Pennsylvania Univ., Philadelphia, PA USA

Evaluation of Muscle Function in Persian Gulf Veterans Annual Report, 15 Jun. 1996 - 14 Jun 1997

Vandenborne, Krista, Pennsylvania Univ., USA; Jul. 1997; 16p; In English

Contract(s)/Grant(s): DAMD17-96-C-6055

Report No.(s): AD-A348644; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

In an effort to investigate the etiology responsible for the ongoing chronic fatigue (CF) and muscle weakness in veterans with Persian Gulf (PG) illness we are performing a comprehensive evaluation of skeletal muscle in PG veterans with CF and healthy control veterans. Preliminary evaluation of 18 veterans with CF and 7 healthy control veterans shows evidence that muscle function is impaired in veterans with PG illness. Specifically, a significant decrease was found in the mitochondrial ATP producing capacity in Gulf veterans with CF compared to healthy veterans. MRI measurements show that there is no difference in the cross-sectional area of the calf muscles of both populations, indicating that the decrease in mitochondrial function of the veterans with CF is not simply the result of severe disuse or deconditioning. In addition, while the relative fatigability of skeletal muscle in the healthy veterans and veterans with CF is not different, the total amount of work that can be performed is significantly higher in the healthy veterans. Further examination of skeletal muscle using a combination of electrical stimulation, muscle biopsies and EMG is being performed to confirm the myopathic origin of chronic fatigue in PG illness.

DTIC

Musculoskeletal System; Adenosine Triphosphate; Persian Gulf; Mitochondria; Electromyography

19980210970 Iowa Univ., Iowa City, IA USA

Neural Control Mechanisms and Body Fluid Homeostasis Interim Report, 1 Apr. 1995 - 31 Mar. 1998

Johnson, Alan Kim, Iowa Univ., USA; 1998; 5p; In English

Contract(s)/Grant(s): NAG5-6171

Report No.(s): NASA/CR-1998-208294; NAS 1.26:208294; No Copyright; Avail: CASI; A01, Hardcopy; A01, Microfiche

The goal of the proposed research was to study the nature of afferent signals to the brain that reflect the status of body fluid balance and to investigate the central neural mechanisms that process this information for the activation of response systems which restore body fluid homeostasis. That is, in the face of loss of fluids from intracellular or extracellular fluid compartments, animals seek and ingest water and ionic solutions (particularly Na⁺ solutions) to restore the intracellular and extracellular spaces. Over recent years, our laboratory has generated a substantial body of information indicating that: (1) a fall in systemic arterial pressure facilitates the ingestion of rehydrating solutions and (2) that the actions of brain amine systems (e.g., norepinephrine; serotonin) are critical for precise correction of fluid losses. Because both acute and chronic dehydration are associated with physiological stresses, such as exercise and sustained exposure to microgravity, the present research will aid in achieving a better understanding of how vital information is handled by the nervous system for maintenance of the body's fluid matrix which is critical for health and well-being.

Author

Nervous System; Body Fluids; Homeostasis; Data Bases

19980211066 Boston Univ., School of Medicine, Boston, MA USA

Neuropsychological Functioning in Persian Gulf War Era Veterans Annual Report, 1 May 1997 - 30 Apr. 1998

White, Roberta F., Boston Univ., USA; May 1998; 28p; In English

Contract(s)/Grant(s): DAMD17-96-1-6043

Report No.(s): AD-A347712; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Persian Gulf War (PGW) veterans have reported a constellation of health symptoms referred to as Gulf War Syndrome. Suggested causes of these symptoms include exposure to environmental hazards and biological or chemical warfare agents. Some of the symptoms reported overlap with those of post-traumatic stress disorder (PTSD), Multiple Chemical Sensitivity (MCS) or chronic fatigue syndrome (CFS). Both exposure to neurotoxins and the disorders noted above are known to produce cognitive impairments. This study evaluates the neuropsychological functioning of PGW era veterans who are seeking treatment or evaluation for any type of health or adjustment complaint. PGW deployed patients will be compared with non-deployed patients. These subjects will also be compared with subjects from a (non-treatment seeking) research sample of PGW veterans. All patients and research subjects will additionally be administered a standardized set of questionnaires and interviews to identify their health

symptoms including their physical and mental health condition. These instruments permit diagnosis of PTSD, MCS, CFS and other psychiatric disorders. The purpose of these comparisons is to isolate factors that differentiate PGW veterans who are seeking treatment for health complaints from their treatment seeking counterparts who are not PGW veterans.

DTIC

Neurology; Exposure; Mental Health; Signs and Symptoms; Mental Performance

19980211307 New Energy and Industrial Technology Development Organization, Tokyo, Japan

Leading research on brain functional information processing *No kino joho shori no sendo kenkyu*

Mar. 1997; 184p; In Japanese

Report No.(s): NEDO-PR-9609; DE98-745395; No Copyright; Avail: Issuing Activity (Nat'l Technical Information Service (NTIS)), Microfiche

This research aims at searching the concept of an information processing device with a fully different architecture from a previous ones based on the study on human brain function, sense and perception, and developing the basic fabrication technology for such system, and realizing the human-like information processing mechanism of memorization, learning, association, perception, intuition and value judgement. As an approach deriving biological and technological models from experimental brain studies, the model was derived from the brain functional information processing based on brain development/differentiation mechanism, the control mechanism/material of brain activities, and the knowledge obtained from brain measurement and study. In addition, for understanding a brain oscillation phenomenon by computational neuroscience, the cerebral cortex neural network model composed of realistic neuron models was proposed. Evaluation of the previous large-scale neural network chip system showed its ability of learning and fast processing, however, the next-generation brain computer requires further R and D of some novel architecture, device and system.

DOE

Brain; Information; Human Performance; Data Processing; Computers; Genetic Engineering; Architecture (Computers)

19980211438 Institute for Human Factors TNO, Soesterberg, Netherlands

Thermal Comfort in a Temperature Range from minus 13 to plus 35 C Relation to the Performed Work *Final Report*

Thermisch comfort en een temperatuur-range van -13 tot +35 deg C in relatie tot de verrichte arbeid

Heus, R., Institute for Human Factors TNO, Netherlands; Kistemaker, J. A., Institute for Human Factors TNO, Netherlands;

Havenith, G., Institute for Human Factors TNO, Netherlands; Dec. 04, 1997; 27p; In English

Contract(s)/Grant(s): A93/KL/317

Report No.(s): TNO-TM-97-A-75; TD97-0260; Copyright; Avail: Issuing Activity (TNO Human Factors Research Inst., Kampweg 5, 3769 DE Soesterberg, The Netherlands); US Sales Only, Hardcopy, Microfiche

Thermal comfort of humans is determined by subjective sensations of temperature, humidity and comfort. These subjective sensations can partly be explained by physiological and physical parameters. A large literature review has led to formulas for temperature and humidity sensations. In this study, these formulas have been validated under experimental conditions and besides we searched for a formula for comfort sensation in terms of physiological parameters. In three climates (-13, 13 and 35 C) male and female subjects exercised on four levels (rest, fight, moderate and heavy work). The subjects were asked to give their continuous evaluations of temperature, humidity and comfort. We measured body temperatures and metabolism of the subjects and the environmental parameters. These data were used to validate the formulas for temperature and humidity sensations and stepwise regression analysis was used to find a formula for comfort sensation. The results of this study showed that total temperature sensation can be predicted by rectal temperature, temperature of the extremities and environmental temperature and that the proposed formula can be validated partly, but that the model can be simplified by only using the metabolic rate and the temperature of the extremities in the formula. Local sensations of temperature can be explained by only the local skin temperature. The psychophysical law is a less good predictor for local temperature sensation. The humidity formula could also be validated very well by explaining the subjective humidity by relative humidity of the skin, sweat production and rectal temperature. The present data set was not sufficient to explain comfort, but thermal comfort can be explained by thermal and humidity sensations. The data set offers lots of possibilities for further analyses.

Author

Thermal Comfort; Body Temperature; Humidity; Physiology

19980211488 British Columbia Univ., B.C. Office of Health Technology Assessment, Vancouver, British Columbia Canada

Bone Mineral Density Testing: Does the Evidence Support its Selective use in Well Women?

Green, C. J., British Columbia Univ., Canada; Bassett, K., British Columbia Univ., Canada; Foerster, V., British Columbia Univ., Canada; Kazanjian, A., British Columbia Univ., Canada; Dec. 1997; 192p; In English

Report No.(s): BCOHTA-97:2T; Copyright; Avail: Issuing Activity, Hardcopy, Microfiche

Primary care physicians, perimenopausal women, and health policy makers currently are or soon will be facing a key decision regarding Bone Mineral Density (BMD) testing: Should all, a selected subset, or no well women have BMD testing at or near the time of menopause? This decision is critical because it will determine both the future breadth of BMD application across, and its duration of use within, the female population. The potential application varies widely, ranging from all women from 45-50 years of age until death, to no well woman at any age. The decision will not be easy. Physicians, women, and health policy makers must situate BMD testing, within the natural aging process, relate it to medical management schemes designed to reduce fracture rates in seniors, and evaluate it in relation to controversial drug treatment effectiveness. In addition, policy makers must weigh the costs and benefits of BMD testing against alternate uses of limited health care funds, including other programs designed to improve women's health. And, all this must be achieved in the face of the intense marketing pressure from the drug and device industry. The decision regarding how to use BMD testing, will be difficult enough without introducing misconceptions about the technology. For example, no one involved in the decision should believe that improvements in BMD technical accuracy and replicability alone will translate into improved patient outcome. Technical accuracy refers to the degree to which BMD measurements represent the true BMD value of the site being measured. Replicability refers to the extent to which the same value is obtained with repeat measurements of the same site. Accuracy and replicability are important issues but mean little without evidence of validity; in this instance, evidence establishing a link between BMD testing and improved patient outcome. Another misconception is that drug treatment increasing BMD will translate into improved patient outcome. Treatment effectiveness also depends on the extent to which therapy is applied to the correct individuals, taken for an adequate period of time and results in an actual decrease in fracture rates. Of all the ongoing misconceptions, arguably the most insidious is one currently promoted by the drug and device industry and its representatives; that is, that 'selective' as opposed to 'whole population' screening of women is a reasonable way to proceed. This approach is dangerous because it seems reasonable. It seems to involve judicious use of scarce health resources in general and of this technology in particular. In addition, it seems to reflect and support the interests of women, especially those considered at elevated risk for what are often debilitating fractures. Furthermore, and most pernicious, it is likely to seem reasonable to clinicians.

Derived from text

Bone Demineralization; Bone Mineral Content; Females; Fractures (Materials); Public Health; Patients; Policies

19980214902 Naval Health Research Center, San Diego, CA USA

Environmental Heat Transfer to a Microclimate Cooling System During Heat Exposure *Final Report*

Canine, Katherine, Naval Health Research Center, USA; Feb. 02, 1998; 20p; In English

Report No.(s): AD-A349469; NHRC-98-2; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Heat transfer from the environment ($Q(\text{env})$) to a water-based microclimate cooling system (MCS), operated at four temperatures of water ($T(w)$), was measured utilizing a rubber manikin outfitted in coveralls and chemical protective clothing. $Q(\text{env})$ increased in direct proportion to the difference in $T(w)$ and ambient temperature ($T(a)$). Good linear models were found for predicting $Q(\text{env})$ when $T(a)$ or temperature between clothing layers and $T(w)$ are known. These models can be used in future physiological tests to apportion heat transfer between the environment and the body. $Q(\text{env})$ was substantial, greater than 100 w at the lowest temperature of water, even when insulated from the environment. Because many MCSs have limited cooling capacities, it is important to reduce $Q(\text{env})$. Thus, it is advantageous to wear insulating garments in hot environments when microclimate cooling is used.

DTIC

Heat Transfer; Microclimatology; Environment Effects; Cooling Systems; Temperature Effects

53

BEHAVIORAL SCIENCES

Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.

19980214924 Columbia Univ., Dept. of Psychology, New York, NY USA

DURIP97 Human Cognitive Performance in the Interpretation of False Color Non-Literal Imagery *Final Report, 1 Apr. 1997 - 31 Aug. 1998*

Markman, Arthur B., Columbia Univ., USA; Apr. 1997; 2p; In English

Contract(s)/Grant(s): F49620-97-1-0155; AF Proj. 3484

Report No.(s): AD-A346277; AFRL-SR-BL-TR-98-0493; No Copyright; Avail: CASI; A01, Hardcopy; A01, Microfiche

The purpose of this grant was to purchase equipment to enable us to study the influence of people's beliefs about thermodynamics and the influence of those beliefs on their ability to interpret infrared images. For this project, we purchased an Inframetrics Thermacam PM250 to collect thermal images. In addition, we purchased a Compaq Deskpro personal computer for processing the images. The computer was used to run a variety of images processing programs including Thermonitor. The Thermacam stores both video and still picture output.

DTIC

Mental Performance; Cognition; Images; Pattern Recognition; Visual Perception; Image Processing; Infrared Imagery; Color

54

MAN/SYSTEM TECHNOLOGY AND LIFE SUPPORT

Includes human engineering; biotechnology; and space suits and protective clothing. For related information see also 16 Space Transportation.

19980210877 Sapient Inst., Houston, TX USA

Biochemical Capture and Removal of Carbon Dioxide, 1 Aug. 1995 - 31 Jul. 1997

Trachtenberg, Michael C., Sapient Inst., USA; Jun. 06, 1998; 7p; In English

Contract(s)/Grant(s): NAGw-4850

Report No.(s): NASA/CR-1998-208214; NAS 1.26:208214; No Copyright; Avail: CASI; A02, Hardcopy; A01, Microfiche

We devised an enzyme-based facilitated transport membrane bioreactor system to selectively remove carbon dioxide (CO₂) from the space station environment. We developed and expressed site-directed enzyme mutants for CO₂ capture. Enzyme kinetics showed the mutants to be almost identical to the wild type save at higher pH. Both native enzyme and mutant enzymes were immobilized to different supports including nylons, glasses, sepharose, methacrylate, titanium and nickel. Mutant enzyme could be attached and removed from metal ligand supports and the supports reused at least five times. Membrane systems were constructed to test CO₂ selectivity. These included proteic membranes, thin liquid films and enzyme-immobilized teflon membranes. Selectivity ratios of more than 200:1 were obtained for CO₂ versus oxygen with CO₂ at 0.1%. The data indicate that a membrane based bioreactor can be constructed which could bring CO₂ levels close to Earth.

Author

Bioreactors; Carbon Dioxide; Removal; Membranes

19980210898 Trip-A-Larm, Deerfield Beach, FL USA

Loss-Prevention and Risk-Mitigation by Reducing False-Alarms in Equipment Protection Systems

Corso, Philip P., Trip-A-Larm, USA; Jan. 1998; 12p; In English

Report No.(s): AD-A347812; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Like death and taxes Equipment Protection System failures (alarms) are undesirable, unpredictable, unwarranted, and unexplainable. 95% of industrial alarms are false, 99% in aircraft, and 99.9% in security systems. They excite management, incite environmentalists, spur regulatory agencies, and frighten many. Product loss and wasted resources are obvious consequences. Not so obvious is the negative impact on safety. Fail-safe... shutdown upon failure... doesn't make the situation safer. Instead, there's a high-risk of damage or catastrophe during restart.

DTIC

Losses; Prevention; Warning Systems; System Failures; Fail-Safe Systems

19980210972 Institute for Human Factors TNO, Soesterberg, Netherlands

Difference Between Manual Anthropometric Measurements and Anthropometric Measures Derived Manually from Whole Body Scans: A Pilot Study *Interim Report*

Daanen, H. A. M., Institute for Human Factors TNO, Netherlands; Brunsman, M. A., Air Force Research Lab., USA; Jan. 22, 1998; 12p; In English

Contract(s)/Grant(s): A96/KL/302; TNO Proj. 789.1

Report No.(s): TD98-0008; TNO-TM-98-A004; Copyright; Avail: Issuing Activity (TNO Human Factors Research Inst., Kampweg 5, 3769 DE Soesterberg, The Netherlands); US Sales Only, Hardcopy, Microfiche

Fifteen anthropometric measures of six subjects were determined in two ways: using traditional standardized manual measurements and using manual retrieval of the measures from a whole body scan. Markers were applied to the body prior to scanning. In the scan image the markers were identified manually by manipulating the scan image. The stature and circumference yielded higher values when derived from the scanned image. Likely explanations for these differences are, respectively, the bald cap on

the head which increases the stature and the absence of soft tissue compression in the determination of the anthropometric measures from the scan. The difference between the two methods is dependent on the measurement location: the axilla height shows differences of up to 36 mm, while the differences in calf circumference never exceed 7 mm. Current clothing sizes are based on traditional body measures. The systematic deviation found in this study between traditional and scan measurements has to be taken into account when whole body scanners are used to determine the body dimensions. A correction factor can be used to establish the correct link between body measures and clothing sizes.

Author

Anthropometry; Size Determination; Body Measurement (Biology)

19980211062 Army Research Lab., Human Research and Engineering Directorate, Aberdeen Proving Ground, MD USA
A Comparison of Various Types of Head-Related Transfer Functions for 3-D Sound in the Virtual Environment Final Report

Savick, Douglas S., Army Research Lab., USA; May 1998; 24p; In English

Contract(s)/Grant(s): Proj-1L162716AH70

Report No.(s): AD-A347740; ARL-TR-1605; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Simulation using virtual reality (VR) is becoming an effective tool for the Army in training soldiers to do their required tasks. In VR, the human operator can interact with a wide variety of computer generated worlds developed from real or imaginary scenarios or both. The training that a soldier receives by simulation is usually cost effective to the Army and in a number of cases is safer for the individual than training in the real environment. Three dimensional (3-D) sound in the virtual environment (VE) provides a more realistic simulation of acoustic environments compared to diotic (mono) or dichotic (stereo) sound presentation. The major benefit of using 3-D sound is that an individual can determine the sound source direction. When sounds that are perceived to have direction and sights that represent virtual objects that produce the sounds are provided through a head mounted display, a person can monitor and identify sources of information from all possible locations. The purpose of this study was to determine if 3-D sound generated by a 3-D sound system could enhance the realism or fidelity of the VE. The main objective of the study was to determine if an individual could distinguish the direction of a sound source within a reasonable degree of accuracy. Three dimensional sound is produced by using a mathematical representation of the filtering characteristics of the pinnae provided through Head Related Transfer Functions (HRTFs). The HRTFs can be developed by recording a generated broadband sound using a probe microphone in the ear canal and subsequently dividing the Fourier transform of the recorded sound by that of the generated sound. When digital filtering techniques are used, HRTFs can be applied to sounds through headphones. When an arbitrary sound is filtered with HRTF based filters, the sound should appear to come from specified virtual locations outside the earphones.

DTIC

Auditory Signals; Auditory Perception; Fourier Transformation; Transfer Functions; Acoustic Simulation; Education

19980211324 Department of Energy, Richland, WA USA
Portable Oxygen Generation for Medical Applications Final Report, 8 May 1996 - 1 Jul. 1997

Armstrong, Timothy R., Department of Energy, USA; Jul. 1997; 44p; In English

Contract(s)/Grant(s): MIPR-96MM6730

Report No.(s): AD-A346676; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

A prototypical high-temperature planar oxygen generator was developed within one year. This generator utilizes yttria stabilized zirconia electrolyte and doped lanthanum manganite as the electrodes and separator plate. Several stack (1 to 3- cell) were constructed and tested. The tests demonstrated that: (1) all 25 sq cm of the active area was operational, (2) the cells possessed a low area specific resistance that improved with time, and (3) stack power consumption decreased with time without affecting oxygen output. Important accomplishments were achieved in the areas of separator plate fabrication, metallic seal development, and stack assembly and testing.

DTIC

Portable Equipment; Medical Services; Oxygen Production; Oxygen; Gas Generators

19980211458 NASA Marshall Space Flight Center, Huntsville, AL USA
Life Testing of the Vapor Compression Distillation/Urine Processing Assembly (VCD/UPE) at the Marshall Space Flight Center (1993 to 1997) Final Report

Wieland, P., NASA Marshall Space Flight Center, USA; Hutchens, C., NASA Marshall Space Flight Center, USA; Long, D., NASA Marshall Space Flight Center, USA; Salyer, B., ION Electronics, USA; Aug. 1998; 76p; In English

Report No.(s): NASA/TM-1998-208539; M-887; NAS 1.15:208539; No Copyright; Avail: CASI; A05, Hardcopy; A01, Microfiche

Wastewater and urine generated on the International Space Station will be processed to recover pure water using vapor compression distillation (VCD). To verify the long-term reliability and performance of the VCD Urine Processor Assembly (UPA), life testing was performed at the Marshall Space Flight Center (MSFC) from January 1993 to April 1996. Two UPA'S, the VCD-5 and VCD-5A, were tested for 204 days and 665 days, respectively. The compressor gears and the distillation centrifuge drive belt were found to have operating lives of approximately 4,800 hours, equivalent to 3.9 years of operation on ISS for a crew of three at an average processing rate of 1.76 kg/h (3.97 lb/h). Precise alignment of the flex-splines of the fluids and purge pump motor drives is essential to avoid premature failure after about 400 hours of operation. Results indicate that, with some design and procedural modifications and suitable quality control, the required performance and operational life can be met with the VCD/UPA.

Author

Service Life; Distillation; Waste Water; Urine

19980213261 Air Force Operational Test and Evaluation Center, Kirtland AFB, NM USA

Advanced Aircrew Oxygen Mask Insert Evaluation *Interim Report, Feb. 1996 - Jan. 1998*

Liptak, Lynda, Air Force Operational Test and Evaluation Center, USA; Jun. 1998; 41p; In English

Contract(s)/Grant(s): Proj-2830

Report No.(s): AD-A349018; AFRL-HE-BR-TR-1998-0043; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

The Crew Technology Division of Armstrong laboratory is developing an insert for the MBU-20/P aircrew oxygen mask. The insert is placed inside the mask to enhance comfort and seal at high mask cavity pressures. The Air Force Operational Test and Evaluation Center, Rapid Test and Evaluation Directorate (AFOTEC/TA), conducted this evaluation of prototype mask inserts using Air National Guard pilots flying training sortics in F-16 aircraft. The evaluation addresses the operational use of an aircrew oxygen mask insert. The objective was to evaluate mask comfort and mask seal. A re-evaluation questionnaire was designed to assess the comfort and seal of the masks without the insert. A post-evaluation questionnaire addressed the comfort and seal of the mask with the insert. It was planned that each pilot would fly with the insert for at least two sortics. Each pilot had their original mask without insert and an unmodified mask with insert so they could swap masks between sortics and evaluate the seal and comfort of the altered mask. Pilots answered questionnaires as soon as possible after the last flights. Eighteen pilots evaluated the insert. Five pilots reported previous seal problems. All five pilots indicated the insert improved the mask seal and they would continue using the insert. However, most pilots indicated there was a problem with the comfort of the mask with the insert. There was an insufficient sample size to make a statistical determination of the mask insert improvement. Seven of 18 pilots stated they would continue to use the mask insert as it improved the mask seal. However, these pilots were split on the issue of improved comfort, and half reported that comfort decreased with the insert.

DTIC

Helmets; Oxygen Masks; Evaluation; Product Development; Aircraft Pilots

19980213277 Department of the Navy, Washington, DC USA

Back-Reinforced Two-Piece Upper Torso Assembly for Articulated One-Atmosphere Diving Suit

Hughes, Robert J., Inventor, Department of the Navy, USA; Mar. 03, 1998; 7p; In English; Supersedes US-Patent-Appl-SN-679839

Patent Info.: Filed 15 Jul. 1996; US-Patent-Appl-SN-679839; US-Patent-5,722,090

Report No.(s): AD-D018977; No Copyright; Avail: US Patent and Trademark Office, Microfiche

A back-reinforced two-piece upper torso assembly for an articulated diving suit. The upper torso assembly includes a lower hollow rigid body of rounded shape for housing a diver's upper trunk, an upper hollow rigid body of rounded shape for housing a diver's head and being seated upon the lower hollow rigid body, and a clamping and sealing mechanism releasably coupling the upper hollow rigid body to the lower hollow rigid body about adjacent seated portions thereof so as to form a watertight joint therebetween wherein the upper hollow rigid body can rotate relative to the lower hollow rigid body. The upper torso assembly also includes a reinforcement structure connecting the upper hollow rigid body to the lower hollow rigid body along adjacent rear portions thereof so as to permit a lifting load applied to the assembly during water entry and exit to transfer to the lower hollow rigid body in such manner as to avoid stressing the watertight joint therebetween.

DTIC

Torso; Diving (Underwater); Suits; Water

Subject Term Index

A

ACOUSTIC SIMULATION, 8
ADENOSINE TRIPHOSPHATE, 4
ADRENAL GLAND, 1
AIRCRAFT PILOTS, 9
ALGAE, 3
ANIMALS, 2
ANTHROPOMETRY, 8
ARCHITECTURE (COMPUTERS), 5
AUDITORY PERCEPTION, 8
AUDITORY SIGNALS, 8

B

BIOCHEMISTRY, 2
BIONICS, 1
BIOREACTORS, 2, 7
BIOSYNTHESIS, 2
BIOTECHNOLOGY, 2
BODY FLUIDS, 1, 4
BODY MEASUREMENT (BIOLOGY), 8
BODY TEMPERATURE, 5
BONE DEMINERALIZATION, 6
BONE MINERAL CONTENT, 6
BRAIN, 5

C

CARBON DIOXIDE, 7
CELLS (BIOLOGY), 2
CHLOROPHYLLS, 3
CHLOROPLASTS, 2
COGNITION, 7
COLOR, 7
COMPUTERS, 5
CONTROL, 2
COOLING SYSTEMS, 6
CORTISONE, 1

D

DATA BASES, 4
DATA PROCESSING, 5
DISORIENTATION, 3
DISTILLATION, 9
DIVING (UNDERWATER), 9

E

ECOSYSTEMS, 1
EDUCATION, 8
ELECTROMYOGRAPHY, 4
ENVIRONMENT EFFECTS, 6
EVALUATION, 9
EXPOSURE, 5
EXTINCTION, 1

F

FAIL-SAFE SYSTEMS, 7
FEMALES, 6
FLIGHT CREWS, 3
FLIGHT SAFETY, 3
FOURIER TRANSFORMATION, 8
FRACTURES (MATERIALS), 6

G

GAS GENERATORS, 8
GENETIC ENGINEERING, 5
GENETICS, 2

H

HEALTH, 2
HEAT TRANSFER, 6
HELMETS, 9
HOMEOSTASIS, 4
HORMONE METABOLISMS, 1
HUMAN PERFORMANCE, 5
HUMIDITY, 5

I

IMAGE PROCESSING, 7
IMAGES, 7
IMAGING TECHNIQUES, 4
INFORMATION, 5
INFRARED IMAGERY, 7

L

LASER INDUCED FLUORESCENCE, 3
LOSSES, 7

M

MAGNETIC RESONANCE, 4
MATHEMATICAL MODELS, 1
MEDICAL SERVICES, 8
MEMBRANES, 7
MENTAL HEALTH, 5
MENTAL PERFORMANCE, 5, 7
MICROCLIMATOLOGY, 6
MICROORGANISMS, 2
MILITARY AVIATION, 4
MITOCHONDRIA, 4
MUSCULOSKELETAL SYSTEM, 4

N

NERVOUS SYSTEM, 4
NEUROLOGY, 5
NITROGEN, 2

O

ORGANISMS, 2
OXYGEN, 8
OXYGEN MASKS, 9
OXYGEN PRODUCTION, 8

P

PATIENTS, 6
PATTERN RECOGNITION, 7
PERSIAN GULF, 4
PHOTOSYNTHESIS, 2
PHYSIOLOGY, 2, 5
PHYTOPLANKTON, 3
POLICIES, 6
PORTABLE EQUIPMENT, 8
PREVENTION, 7
PRODUCT DEVELOPMENT, 9
PUBLIC HEALTH, 6

R

RATS, 1
REACTOR MATERIALS, 2
REMOVAL, 7

S

SCANNING ELECTRON
MICROSCOPY, 3
SERVICE LIFE, 9
SIGNS AND SYMPTOMS, 5
SIZE DETERMINATION, 8
SMART MATERIALS, 2
SPATIAL DISTRIBUTION, 3
SPIN GLASS, 1
SPINE, 4
SUITS, 9
SYSTEM EFFECTIVENESS, 3
SYSTEM FAILURES, 7

T

TARGETS, 2
TEMPERATURE EFFECTS, 6
THERMAL COMFORT, 5
TOMOGRAPHY, 4
TORSO, 9
TRAINING DEVICES, 3
TRANSFER FUNCTIONS, 8

U

URINE, 9

V

VISUAL PERCEPTION, 7

W

WARNING SYSTEMS, 7
WASTE WATER, 9
WATER, 9

Personal Author Index

A

Armstrong, Timothy R., 8

B

Barbini, R., 2

Bassett, K., 5

Brunzman, M. A., 7

C

Canine, Katherine, 6

Capuano, V., 2

Cheung, Bob, 3

Colao, F., 2

Corso, Philip P., 7

D

Daanen, H. A. M., 7

Dallman, M. F., 1

F

Fantoni, R., 2

Foerster, V., 5

G

Green, C. J., 5

H

Havenith, G., 5

Heus, R., 5

Hughes, Robert J., 9

Hutchens, C., 8

J

Johnson, Alan Kim, 4

K

Kazanjian, A., 5

Kistemaker, J. A., 5

L

Larson, Sanford J., 3

Liptak, Lynda, 9

Long, D., 8

M

Markman, Arthur B., 6

Micheli, C., 2

P

Palucci, A., 2

Pintar, Frank A., 3

R

Ribezzo, S., 2

S

Salyer, B., 8

Savick, Douglas S., 8

Schmidt, G. W., 2

T

Tokita, Keiichiro, 1

Trachtenberg, Michael C., 7

V

Vandenborne, Krista, 4

W

White, Roberta F., 4

Wieland, P., 8

Y

Yoganandan, Narayan, 3

Report Documentation Page

1. Report No. NASA/SP—1998-7011/SUPPL475	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle Aerospace Medicine and Biology A Continuing Bibliography (Supplement 475)		5. Report Date October 5, 1998	
		6. Performing Organization Code	
7. Author(s)		8. Performing Organization Report No.	
9. Performing Organization Name and Address NASA Scientific and Technical Information Program Office		10. Work Unit No.	
		11. Contract or Grant No.	
12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Langley Research Center Hampton, VA 23681		13. Type of Report and Period Covered Special Publication	
		14. Sponsoring Agency Code	
15. Supplementary Notes			
16. Abstract This report lists reports, articles and other documents recently announced in the NASA STI Database.			
17. Key Words (Suggested by Author(s)) Aerospace Medicine Bibliographies Biological Effects		18. Distribution Statement Unclassified – Unlimited Subject Category – 52	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 26	22. Price A03/HC